

# 2011 MAZDA RX-8 SPECIFICATION DECK

ISSUE DATE: June 25, 2010 REVISION DATE: June 25, 2010

#### **PRODUCTION TIMING:**

Job #1: September, 2010

#### LINEUP:

- Sport
- Grand Touring
- RX-8 R3

CONTENTS:	Page(s)
Product Changes	2
Product Summary	3
Equipment & Features	4
Packages & Options	5
Accessories	6
Color & Trim	7
Specifications	8

F	2011 MAZDA RX-8 PRODUCT CHANGES
<b>OVERVIEW</b> For 2011MY, The number of available exterior	colors has been reduced to three.
EXTERIOR CHANGES  ● No change	FUNCTIONAL CHANGES  ● No change
EXTERIOR CHANGES  ■ No change	PACKAGE / OPTION CHANGES  ■ No change
INTERIOR CHANGES	COLOR & TRIM  • Exterior Colors Deleted:  - Aurora Blue Mica (34J)
nd Features Availability	SAFETY  • No change
age content subject to change.	

#### 2011 MAZDA RX-8 PRODUCT SUMMARY

The following equipment is standard as indicated. Each series includes the standard equipment of the previous series, except where additions / exceptions are noted:

	exceptions are noted:	
RX-8 Sport	RX-8 Grand Touring	RX-8 R3
Standard Equipment	In addition to Sport	In addition to Sport
Functional / Powertrain	Functional / Powertrain	Functional / Powertrain
1.3L Rotary engine with 212 hp (AT) or 232 hp	Torque sensing Limited Slip Differential (AT)	Torque sensing Limited Slip Differential
(MT)  ■ 6-speed sport automatic transmission w/paddle	, , , , , , , , , , , , , , , , , , , ,	Sport tuned suspension with Bilstein shock
shifters and Adaptive Shift Logic (AT)		absorbers
6-Speed manual overdrive transmission with		Urethane foam injected front suspension cross
short throw shifter (MT)  Direct drive electronically assisted steering		member
Front and rear stabilizer bars		
<ul> <li>Independent front double-wishbone suspension /</li> </ul>		
rear multi-link suspension		
<ul> <li>Low exhaust pressure main muffler (MT)</li> </ul>		
Power assist 4-wheel ventilated disc brakes		
Shock tower brace		
<ul> <li>Sport tuned suspension</li> </ul>		
<ul> <li>Torque sensing Limited Slip Differential (MT)</li> </ul>		
<u>Exterior</u>	<u>Exterior</u>	<u>Exterior</u>
18-inch aluminum alloy wheels with locks	Fog lights	Fog lights
225/45R18 high performance tires	Xenon headlights	Xenon headlights
Dual chrome tailpipe garnish	Auto on/off headlights	19-inch forged aluminum alloy wheels
Dual power mirrors	Heated mirrors	225/40R19 high performance tires
Free style doors	Rain sensing wipers	Rear wing spoiler
,	Moonroof, power sliding glass with one-touch	
Rear LED taillights	open and sunshade	Side sills
Rear lip spoiler (MT models only)		Sporty front bumper
Rear window defogger		
Rear window integrated radio antenna		
Variable intermittent windshield wipers		
<u>Interior</u>	<u>Interior</u>	<u>Interior</u>
Air conditioning	Auto dimming rear view mirror with Homelink	Auto dimming rear view mirror with Homelink
AM/FM/CD stereo with 6-speakers	In-dash 6 disc CD changer	<ul> <li>In-dash 6 disc CD changer</li> </ul>
	300 watt Bose 9-speaker sound system with	300 watt Bose 9-speaker sound system with
Auxiliary-audio input jack	Centerpoint surround sound and AudioPilot®	Centerpoint surround sound and AudioPilot®
	noise compensation technology  8-way power driver's seat with power lumbar	noise compensation technology  Bluetooth hands free phone system
Center console with power outlet	support	Bluetooth hands free phone system
Instrument panel display with clock, audio,	Auto A/C	Front Recaro sport seats with leather side
HVAC, outside temp		bolsters
Cloth trimmed upholstery and door panels	Bluetooth hands free phone system	Leather wrapped parking brake
Cruise control	Color keyed synthetic leather trimmed door panels	<ul> <li>Mazda Advanced Keyless Entry and Start System</li> </ul>
Cup holders - 4	<ul> <li>Driver's seat memory (3 positions)</li> </ul>	System
Floor mats	Driver's seat one-touch walk-in function	
Gauges - black w/chrome bezels & white	Silver o coat one toden walk in rancien	
lettering; blue LED with red nighttime gauge	Heated driver/passenger seats	
illumination		
Internal releases - fuel door, trunk, hood	Leather trimmed seating surfaces	
Passenger seat one-touch walk-in function	Leather wrapped parking brake	
Rear bucket seats with rear seat trunk pass through	Mazda Advanced Keyless Entry and Start     System	[
	System SIRIUS Satellite Radio System (includes 6 month)	[
Reclining front bucket seats	free subscription)	
Scuff plates - black w/aluminum accents		[
Steering wheel mounted controls - audio, cruise		[
Steering wheel - tilt, leather wrapped		[
Steering wheel - tilt, leather wrapped     Shift knob - leather wrapped		[
''		
Overhead console with sunglasses holder     Power door locks - driver / passenger		
Willuminated switches		[
Power windows - driver / passenger w/illuminated		[
switches  Power windows - one-touch open/close with		
remote down functionality		
<ul> <li>Vanity mirrors - driver &amp; passenger, illuminated</li> </ul>		
]		
		[
		[
Safety	Safety	Safety
Air bags: front/side/curtain for driver & front		
passenger	Dynamic Stability Control w/Traction Control	Dynamic Stability Control w/Traction Control
Alarm with immobilizer		[
Anti-lock brake system w/EBD		[
Burgler Alarm		
• Front seatbelts - 3-point with pretensioners &		
force limiters  Tire pressure monitoring system		
p. 255310 Monitoring System		
Eng	tures ontions and package content subject to cha	nge

Features, options and package content subject to change.

### 2011 MAZDA RX-8 EQUIPMENT AND FEATURES

EQUIPMENT AND FEA			
	SPORT	GRAND TOURING	RX-8 R3
POWERTRAIN	RX8 SP	RX8 GT	RX8 HP
Exhaust, low pressure main muffler	MT	MT	MT
Exhaust, single with dual outlets	Std	Std	Std
Light weight carbon fiber driveshaft	MT	MT	MT
Rear wheel drive	Std	Std	Std
Transmission, 6-speed automatic with paddle shifters and Adaptive Shift Logic Transmission, 6-speed manual overdrive (short throw shifter)	Available Std	Available Std	NA Std
Variable dynamic effect intake system	MT	MT	MT
SUSPENSION			
Brakes, power-assisted 4-wheel ventilated disc brakes	Std	Std	Std
Brakes, 12.7" front	Std	Std	Std
Brakes, anti-lock with electronic brakeforce distribution (ABS)  Dynamic Stability Control (DSC) with traction control	Std NA	Std Std	Std Std
Front - independent double wishbone	Std	Std	Std
Rear - independent multi-link suspension	Std	Std	Std
Shock absorbers, Bilstein	NA	NA	Std
Shock absorbers, monotube gas filled front and rear	Std	Std	Std
Sport tuned suspension	Std	Std	Std
Stabilizer bar, front and rear Steering, direct drive electronically assisted	Std Std	Std Std	Std Std
Torque sensing limited-slip differential	Std on MT	Std	Std
Urethane foam injected front suspension cross member	NA	NA	Std
Wheel locks	Std	Std	Std
Wheels / Tires, 18" aluminum alloy with 225/45 R18 tires	Std	Std	NA
Wheels / Tires, 19" forged aluminum alloy with 225/40 R19 tires  EXTERIOR FEATURES	NA	NA	Std
Fog lights, front	NA	Std	Std
Headlights, Xenon auto leveling	NA NA	Std	Std
Headlights, auto on/off	NA	Std	NA
Headlights, halogen	Std	NA	NA
Mazda advanced keyless entry and start system  Mirrors, dual power remote / body colored	NA Std	Std NA	Std NA
Mirrors, heated dual power remote / body colored	NA NA	Std	NA NA
Moonroof, power sliding glass with one-touch open and sunshade	NA NA	Std	NA NA
Rear LED taillights	Std	Std	Std
Rear lip spoiler	Std on MT	Std on MT	NA
Rear wing spoiler	NA •	NA	Std
Remote keyless illuminated entry Side sills	Std NA	Std NA	Std Std
Windshield, heat absorbent glass / tinted with sunshade	Std	Std	Std
Wipers, rain sensing	NA	Std	NA
Wipers, variable intermittent	Std	Std	Std
INTERIOR FEATURES			
Air bags, driver and passenger front, side, head curtain Air conditioning, automatic	Std NA	Std Std	Std NA
Air conditioning, CFC-Free	Std	Std	Std
Alarm system (burgler) and engine immobilizer	Std	Std	Std
Bluetooth hands free phone system	NA	Std	Std
Cigarette lighter with ash tray	Std	Std	Std
Cruise control with steering wheel mounted controls  Cup holders, 2 front / 2 rear	Std Std	Std Std	Std Std
Defogger, rear window with auto shutoff	Std	Std	Std
Demisters, front side windows	Std	Std	Std
Door locks, power with front passenger switch illumination	Std	Std	Std
DVD Navigation system with in-dash 7" LCD touch screen	NA	Opt.	NA
Floor Mats, carpeted front/rear Foot pedals, aluminum including foot rest	Std Std on MT, NA on AT	Std Std on MT, NA on AT	Std Std
Glove box, illuminated & locking	Std OIT MIT, NA OIT AT	Std off MT, NA off AT	Std
Heater/Defroster, with rear duct	Std		
Ignition key illumination		Std	Std
Lighting, door / overhead dimming, dual map lights	Std	Std Std	
Mirror, rear view autodimming with HomeLink®	Std Std	Std Std	Std Std Std
Mirror, rear view day/night	Std Std NA	Std Std Std	Std Std Std Std
	Std Std NA Std	Std Std Std NA	Std Std Std Std NA
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button	Std Std NA	Std Std Std	Std Std Std Std
Mirror, vanity / driver & passenger / illuminated	Std Std NA Std Std	Std Std Std NA Std Std NA	Std Std Std Std NA Std
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet	Std Std NA Std Std NA Std Std NA Std Std	Std Std Std NA Std Std Ntd Std Std Std Std NtA	Std Std Std Std Std NA Std Std NA Std Std Std NA
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality	Std Std NA Std Std NA Std Std NA Std Std Std Std	Std Std Std NA Std Std Std Std Std Std Std Std Std	Std Std Std Std Std NA Std Std NA Std Std Std NA
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid	Std Std NA Std Std NA Std Std Std Std Std Std Std Std Std	Std Std Std NA Std Std NA Std Std Std NA Std Std Std Std Std	Std Std Std Std Std NA Std
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality	Std Std NA Std Std NA Std Std NA Std Std Std Std	Std Std Std NA Std Std Std Std Std Std Std Std Std	Std Std Std Std Std NA Std Std NA Std Std Std NA
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid Remote releases, trunk lid / fuel door / hood	Std Std NA Std Std NA Std Std Std Std Std Std Std Std Std	Std Std Std NA Std Std NA Std	Std Std Std Std Std NA Std
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid Remote releases, trunk lid / fuel door / hood Scuff plates, black with aluminum accents Seat upholstery, cloth with cloth door trim Seat upholstery, leather with synthetic leather door trim	Std Std NA Std Std NA Std	Std Std Std NA Std Std NA Std	Std Std Std Std Std NA Std Std NA Std
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid Remote releases, trunk lid / fuel door / hood Scuff plates, black with aluminum accents Seat upholstery, cloth with cloth door trim Seat upholstery, leather with synthetic leather door trim Seats, bucket type with integrated head restraints	Std Std NA Std Std NA Std	Std Std Std NA Std Std NA Std	Std Std Std Std Std NA Std Std NA Std Std Std NA Std
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid Remote releases, trunk lid / fuel door / hood Scuff plates, black with aluminum accents Seat upholstery, cloth with cloth door trim Seat upholstery, leather with synthetic leather door trim Seats, bucket type with integrated head restraints Seats, heated (front)	Std Std NA Std Std NA Std	Std Std Std NA Std Std NA Std	Std Std Std Std Std NA Std Std NA Std
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid Remote releases, trunk lid / fuel door / hood Scuff plates, black with aluminum accents Seat upholstery, cloth with cloth door trim Seat upholstery, leather with synthetic leather door trim Seats, bucket type with integrated head restraints	Std Std NA Std Std NA Std	Std Std Std NA Std Std NA Std	Std Std Std Std Std NA Std Std NA Std Std Std NA Std
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid Remote releases, trunk lid / fuel door / hood Scuff plates, black with aluminum accents Seat upholstery, cloth with cloth door trim Seat upholstery, leather with synthetic leather door trim Seats, bucket type with integrated head restraints Seats, heated (front) Seats, 8-way power driver's seat w/3 position memory switch Seats, passenger side one-touch walk-in function Seats, driver's side one-touch walk-in function	Std Std NA Std Std NA Std	Std           Std           Std           NA           Std	Std Std Std Std Std NA Std Std NA Std
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid Remote releases, trunk lid / fuel door / hood Scuff plates, black with aluminum accents Seat upholstery, cloth with cloth door trim Seat upholstery, leather with synthetic leather door trim Seats, bucket type with integrated head restraints Seats, heated (front) Seats, 8-way power driver's seat w/3 position memory switch Seats, passenger side one-touch walk-in function Seats, front Recaro sport seats	Std Std NA Std Std NA Std	Std           Std           Std           NA           Std           NA	Std Std Std Std Std NA Std
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid Remote releases, trunk lid / fuel door / hood Scuff plates, black with aluminum accents Seat upholstery, cloth with cloth door trim Seat upholstery, leather with synthetic leather door trim Seats, bucket type with integrated head restraints Seats, heated (front) Seats, 8-way power driver's seat w/3 position memory switch Seats, passenger side one-touch walk-in function Seats, driver's side one-touch walk-in function Seats, front Recaro sport seats Shift knob, aluminum and leather wrapped	Std Std NA Std Std Std NA Std	Std Std Std NA Std Std NA Std	Std           Std           Std           NA           Std           Std           Std           Std           Std           Std           Std           Std           NA           Std           NA           NA           Std           NA           Std
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid Remote releases, trunk lid / fuel door / hood Scuff plates, black with aluminum accents Seat upholstery, cloth with cloth door trim Seat upholstery, leather with synthetic leather door trim Seats, bucket type with integrated head restraints Seats, heated (front) Seats, 8-way power driver's seat w/3 position memory switch Seats, passenger side one-touch walk-in function Seats, driver's side one-touch walk-in function Seats, front Recaro sport seats Shift knob, aluminum and leather wrapped Shift knob, leather wrapped w/silver accent	Std Std NA Std Std NA Std	Std Std Std NA Std Std NA Std Std NA Std	Std Std Std Std NA Std Std NA Std
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid Remote releases, trunk lid / fuel door / hood Scuff plates, black with aluminum accents Seat upholstery, cloth with cloth door trim Seat upholstery, leather with synthetic leather door trim Seats, bucket type with integrated head restraints Seats, heated (front) Seats, 8-way power driver's seat w/3 position memory switch Seats, passenger side one-touch walk-in function Seats, driver's side one-touch walk-in function Seats, front Recaro sport seats Shift knob, aluminum and leather wrapped	Std Std NA Std Std Std NA Std	Std Std Std NA Std Std NA Std	Std           Std           Std           NA           Std           Std           Std           Std           Std           Std           Std           Std           NA           Std           NA           NA           Std           NA           Std
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid Remote releases, trunk lid / fuel door / hood Scuff plates, black with aluminum accents Seat upholstery, cloth with cloth door trim Seat upholstery, leather with synthetic leather door trim Seats, bucket type with integrated head restraints Seats, heated (front) Seats, 8-way power driver's seat w/3 position memory switch Seats, passenger side one-touch walk-in function Seats, driver's side one-touch walk-in function Seats, front Recaro sport seats Shift knob, aluminum and leather wrapped Shift knob, leather wrapped w/silver accent Steering Wheel, leather wrapped with tilt	Std Std NA Std Std NA Std	Std Std Std NA Std Std NA Std Std NA Std	Std Std Std Std Std NA Std
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid Remote releases, trunk lid / fuel door / hood Scuff plates, black with aluminum accents Seat upholstery, cloth with cloth door trim Seat upholstery, leather with synthetic leather door trim Seats, bucket type with integrated head restraints Seats, heated (front) Seats, 8-way power driver's seat w/3 position memory switch Seats, passenger side one-touch walk-in function Seats, driver's side one-touch walk-in function Seats, front Recaro sport seats Shift knob, aluminum and leather wrapped Shift knob, leather wrapped w/silver accent Steering Wheel, leather wrapped with tilt Storage console, overhead with sunglasses holder Tire pressure monitoring system Trip odometer, two resettable	Std Std NA Std Std NA Std	Std Std Std NA Std Std NA Std Std NA Std	Std           Std           Std           NA           Std           Std           Std           Std           Std           Std           Std           Std           NA           Std           NA           Std           NA           Std
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid Remote releases, trunk lid / fuel door / hood Scuff plates, black with aluminum accents Seat upholstery, cloth with cloth door trim Seat upholstery, leather with synthetic leather door trim Seats, bucket type with integrated head restraints Seats, heated (front) Seats, 8-way power driver's seat w/3 position memory switch Seats, passenger side one-touch walk-in function Seats, driver's side one-touch walk-in function Seats, front Recaro sport seats Shift knob, aluminum and leather wrapped Shift knob, leather wrapped w/silver accent Steering Wheel, leather wrapped with tilt Storage console, overhead with sunglasses holder Tire pressure monitoring system Trip odometer, two resettable Warning lamps: air bags, battery, brake, engine, fuel, high-beam, oil, seat belt, tire pressure	Std Std NA Std Std NA Std	Std Std Std NA Std Std NA Std Std NA Std	Std           Std           Std           NA           Std           Std           Std           Std           Std           Std           Std           Std           NA           Std           NA           Std           NA           Std
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid Remote releases, trunk lid / fuel door / hood Scuff plates, black with aluminum accents Seat upholstery, cloth with cloth door trim Seat upholstery, leather with synthetic leather door trim Seats, bucket type with integrated head restraints Seats, heated (front) Seats, 8-way power driver's seat w/3 position memory switch Seats, passenger side one-touch walk-in function Seats, driver's side one-touch walk-in function Seats, front Recaro sport seats Shift knob, aluminum and leather wrapped Shift knob, leather wrapped w/silver accent Steering Wheel, leather wrapped with tilt Storage console, overhead with sunglasses holder Tire pressure monitoring system Trip odometer, two resettable Warning lamps: air bags, battery, brake, engine, fuel, high-beam, oil, seat belt, tire pressure AUDIO FEATURES	Std Std NA Std Std Std NA Std	Std Std Std NA Std Std NA Std Std NA Std	Std           Std           Std           NA           Std           Std           Std           Std           Std           Std           Std           Std           Std           NA           NA           Std
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid Remote releases, trunk lid / fuel door / hood Scuff plates, black with aluminum accents Seat upholstery, cloth with cloth door trim Seat upholstery, leather with synthetic leather door trim Seats, bucket type with integrated head restraints Seats, earded (front) Seats, 8-way power driver's seat w/3 position memory switch Seats, passenger side one-touch walk-in function Seats, driver's side one-touch walk-in function Seats, front Recaro sport seats Shift knob, aluminum and leather wrapped Shift knob, leather wrapped wishlver accent Steering Wheel, leather wrapped with tilt Storage console, overhead with sunglasses holder Tire pressure monitoring system Trip odometer, two resettable Warning lamps: air bags, battery, brake, engine, fuel, high-beam, oil, seat belt, tire pressure AUDIO FEATURES AM/FM stereo w/single CD player and six speakers	Std Std NA Std Std Std NA Std	Std Std Std NA Std Std NA Std Std NA Std	Std           Std           Std           NA           Std           Std           Std           Std           Std           Std           Std           Std           NA           Std           NA           Std           NA           Std           NA
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid Remote releases, trunk lid / fuel door / hood Scuff plates, black with aluminum accents Seat upholstery, cloth with cloth door trim Seat upholstery, leather with synthetic leather door trim Seats, bucket type with integrated head restraints Seats, bucket (front) Seats, 8-way power driver's seat w/3 position memory switch Seats, passenger side one-touch walk-in function Seats, driver's side one-touch walk-in function Seats, front Recaro sport seats Shift knob, aluminum and leather wrapped Shift knob, leather wrapped w/silver accent Steering Wheel, leather wrapped with tilt Storage console, overhead with sunglasses holder Tire pressure monitoring system Trip odometer, two resettable Warning lamps: air bags, battery, brake, engine, fuel, high-beam, oil, seat belt, tire pressure AUDIO FEATURES	Std Std NA Std Std Std NA Std	Std Std Std NA Std Std NA Std Std NA Std	Std           Std           Std           NA           Std           Std           Std           Std           Std           Std           Std           Std           Std           NA           NA           Std
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid Remote releases, trunk lid / fuel door / hood Scuff plates, black with aluminum accents Seat upholstery, cloth with cloth door trim Seat upholstery, leather with synthetic leather door trim Seats, bucket type with integrated head restraints Seats, heated (front) Seats, 8-way power driver's seat w/3 position memory switch Seats, passenger side one-touch walk-in function Seats, driver's side one-touch walk-in function Seats, front Recaro sport seats Shift knob, aluminum and leather wrapped Shift knob, leather wrapped w/silver accent Steering Wheel, leather wrapped with tilt Storage console, overhead with sunglasses holder Tire pressure monitoring system Trip odometer, two resettable Warning lamps: air bags, battery, brake, engine, fuel, high-beam, oil, seat belt, tire pressure AUDIO FEATURES AM/FM stereo w/single CD player and six speakers Antenna, mounted in rear glass Auxiliary audio jack Bose® 9-speaker 300 watt sound system w/Centerpoint surround sound & AudioPilot	Std Std NA Std Std NA Std Std NA Std	Std           Std           NA           Std           Std	Std           Std           Std           NA           Std           Std           Std           Std           Std           Std           Std           Std           NA           Std           NA           Std           NA           Std
Mirror, vanity / driver & passenger / illuminated Parking brake, leather wrapped with bright button Parking brake, urethane handle with bright button Power outlet Power windows, illuminated switches with one-touch-up/down with remote functionality Rear storage console with lid Remote releases, trunk lid / fuel door / hood Scuff plates, black with aluminum accents Seat upholstery, cloth with cloth door trim Seats upholstery, leather with synthetic leather door trim Seats, bucket type with integrated head restraints Seats, heated (front) Seats, 8-way power driver's seat w/3 position memory switch Seats, passenger side one-touch walk-in function Seats, driver's side one-touch walk-in function Seats, front Recaro sport seats Shift knob, aluminum and leather wrapped Shift knob, leather wrapped w/silver accent Steering Wheel, leather wrapped will tilt Storage console, overhead with sunglasses holder Tire pressure monitoring system Trip odometer, two resettable Warning lamps: air bags, battery, brake, engine, fuel, high-beam, oil, seat belt, tire pressure  AUDIO FEATURES AM/FM stereo w/single CD player and six speakers Antenna, mounted in rear glass Auxiliary audio jack	Std Std NA Std Std NA Std Std NA Std	Std Std Std NA Std Std NA Std	Std           Std           Std           NA           Std           Std           Std           Std           Std           Std           Std           NA           Std           NA           Std           NA           Std           Std

MNAO Product Strategies 11/02/2010 Copy of 2011 RX-8 Specifications.xls

	2011 MAZDA RX-8	3	
PACI	KAGES AND OP	TIONS	
	<b>Sport</b> RX8 SP	<b>Grand Touring</b> RX8 GT	<b>RX-8 R3</b> RX8 HP
Navigation System 7-inch LCD touch screen	-	Opt.	-

## 2011 MAZDA RX-8 PIO ACCESSORIES

		1 10 ACCESS	ORILO	
		Sport	Grand Touring	RX-8 R3
		RX8 SP	RX8 GT	RX8 HP
AUDIO /	VISUAL ELECTRONICS			
CDC	In-Dash 6-Disc CD/MP3 Changer	PIO	N/A	N/A
SAT	SIRIUS Satellite Radio w/6 Month	PIO (N/A in Alaska/Hawaii)	N/A	PIO (N/A in Alaska/Hawaii)
<b>EXTERI</b>	OR			
DEG	Door Edge Guards	PIO	PIO	PIO
MND	Moonroof Wind Deflector	NA	PIO	N/A
RSW	Rear Wing Spoiler	PIO (N/A on MT models)	PIO (N/A on MT models)	N/A
MGB	Splash Guards, Front/Rear	PIO	PIO	N/A
INTERIO	DR			
FLA	All Weather Floor Mats	PIO	PIO	PIO
CGN	Cargo Net	PIO	PIO	PIO
CGO	Cargo Organizer	PIO	PIO	PIO
CGT	Cargo Tray	PIO	PIO	PIO
CGC	Collapsible Cargo Carrier	PIO	PIO	PIO
STR	Spare Tire Kit	PIO	PIO	PIO

2011 MAZDA RX-8			
DIO ACCESSORIES	Sport	Grand Touring	R3
AUDIO / ELECTRONICS			
3.5 mm Audio Cable (for AUX jack)	X	X	X
Hands Free Device (Motorola T-305)	Х		
In-Dash 6-disc CD/MP3 Changer	X		
iPod® Integration Module	Х	X	X
Portable Navigation System (not available w/ Navigation option on GT)	Х	X	X
SIRIUS® Satellite Radio Receiver Kit	Х		X
EXTERIOR			
B-Pillar Applique	Х	Х	Χ
Car Cover	Х	X	X
Car Cover Cable Lock	Х	Х	X
Door Edge Guards (Body Color)	Х	X	X
Front Mask, Full (Sport / Grand Touring)	Х	Х	
Front Mask, Full (R3)			X
License Plate Frame (Pearl Black with RX-8 logo)	Х	Х	X
License Plate Frame (Polished Aluminum with RX-8 logo)	Х	X	X
License Plate Frame (Zoom-Zoom logo)	Х	Х	X
Moonroof Wind Deflector		X	
Splash Guards Front (Body Color)	Х	X	
Splash Guards Rear (Body Color)	X	X	
Spoiler, Rear Wing (not available with Manual Transmission models)	Х	X	
Touch-Up Paint	X	X	X
Wheel Centers, Rotary	Х	Х	X
Wheel Locks (4/set)	X	X	X
INTERIOR			
Aldehyde Filter	Х	Х	Χ
Cargo Carrier, Collapsible	Х	X	X
Cargo Net	Х	Х	Х
Cargo Organizer	Х	X	X
Cargo Tray	Х	Х	Х
Door Sill Trim Plates, Aluminum with Rotary Emblem	Х	X	X
First Aid Kit	Х	Х	Х
Floor Mats, All-Weather	X	X	Χ
Floor Mats, Carpet	Х	X	X
Gearshift Knob with Rotary Emblem (Automatic Transmission only)	Х	Χ	
Rear Door Trim Protectors	Х	Х	Χ
Roadside Assistance Kit	X	Χ	X
Spare Tire Mounting Kit	Х	X	Χ
Windshield Sunscreen - Silver Reflective	Х	Х	Χ

#### 2011 MAZDA RX-8 COLOR AND TRIM

INTERIOR TR	IM TYPE	INTERIOR TRIM COLORS	RX-8 R3
INTERIOR IN	IW 111 <b>L</b>	Black	Gray/Black
Sport	Cloth	FG3	
GT	Leather	FG4	
Recaro	Cloth/Leather		FG7
CODE	EXTERIOR COLOR	AVAILABILITY	
38P	Liquid Silver Metallic	•	
35N	Sparkling Black Mica	•	
27A	Velocity Red Mica	•	•

### 2011 MAZDA RX-8 SPECIFICATIONS

	SPECIFICATIONS	
	6-SPEED SPORT AUTOMATIC	6-SPEED MANUAL
Engine Type	1.3L 2-ro	tor rotary
Engine Code	RENI	ESIS
	6 side intake ports with 3-stage	• • • • • • • • • • • • • • • • • • • •
nduction System	and variable	fresh air duct
Horsepower, SAE net	212 hp @ 7500 rpm	232 hp @ 8500 rpm
orque, SAE net	159 lb-ft @ 5500 rpm	159 lb-ft @ 5500 rpm
Redline	7500 rpm	9000 rpm
Displacement (cu in. / cc)	79.8 /	
ccentricity (e) x Radius (R) x Width (b) (in. / mm)	4.13 x 0.59 x 3.1	
compression Ratio	10.	
Rotor Housing	Aluminum with cl	
Side Housing	cast	iron
	12/22	10/00
PA Estimated Mileage, City/Highway (mpg)	16/23	16/22
uel Injection	Multi-port electro	·
Required Fuel	Premium	
finimum Octane Requirement (R+M/2)	91 00	
mission Control (CAL* / Federal)	ULEV2-B / T	ier2 Bin5-B
CAL = CA, MA, ME, NY, VT, PA, CT, RI, WA, OR, NJ		
	Floring College College (Accellent College Col	C.P. or Consulting Contractor to according to a
gnition System	Electronically-controlled w/ 4 coils and ir	
Iternator	12V -	
dattery	80D/	
tarter	12V-2	2.UKW
V/DO	For control of	Language and define
ype	Front-midship engir	ie, rear-wneel drive
ranamiasiana	6-speed sport AT with steering-wheel	0
ransmissions	mounted manual shift paddles	6-speed manual
Sear Ratios (:1)	0.500	0.045
1st	3.538	3.815
2nd	2.060	2.260
3rd	1.404	1.536
4th	1.000	1.177
5th	0.713	1.000
6th	0.582	0.787
Reverse	3.168	3.603
Final Drive	4.300	4.777
imited-Slip Differential	-	Torque sensing conical clutch type
	Monocoque unibody with backbone frame of	construction and front and rear suspensio
Body Type	Monocoque unibody with backbone frame of subframe of s	•
Body Type Front Suspension	· · · · · · · · · · · · · · · · · · ·	ames
	subfra	ames ged aluminum control arms
Front Suspension Rear Suspension	subfra  Double wishbone with forg	ames ged aluminum control arms ol arms and aluminum hubs
Front Suspension Rear Suspension	subfra  Double wishbone with forg  Multi-link with tubular contro	ames ged aluminum control arms ol arms and aluminum hubs
Front Suspension Rear Suspension Steering Type	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an	ames  yed aluminum control arms ol arms and aluminum hubs d-pinion
Front Suspension Rear Suspension Steering Type Power Assist	subfra  Double wishbone with forg  Multi-link with tubular contro	ames  ged aluminum control arms ol arms and aluminum hubs id-pinion  er Assist Steering (EPAS)
Front Suspension Rear Suspension Steering Type Power Assist Overall Steering Ratio	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power	ames  yed aluminum control arms ol arms and aluminum hubs id-pinion  er Assist Steering (EPAS) 4:1
Front Suspension Rear Suspension Steering Type Power Assist Overall Steering Ratio Steering Wheel Turns, Lock-to-Lock	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power  16.	ames  yed aluminum control arms ol arms and aluminum hubs od-pinion  er Assist Steering (EPAS) 4:1
Front Suspension Rear Suspension Steering Type  Power Assist  Diverall Steering Ratio Steering Wheel Turns, Lock-to-Lock  Turning Circle, Curb-to-Curb (feet)	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power  16.	ames  ged aluminum control arms ol arms and aluminum hubs id-pinion  er Assist Steering (EPAS) 4:1 99
Front Suspension Rear Suspension Steering Type  Power Assist Overall Steering Ratio Steering Wheel Turns, Lock-to-Lock Furning Circle, Curb-to-Curb (feet)  Furning Circle, Wall-to-wall (feet)	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power  16.  2.9  34	ames  ged aluminum control arms ol arms and aluminum hubs od-pinion  er Assist Steering (EPAS) 4:1 99 1.8 7.4
Front Suspension Rear Suspension Steering Type  Power Assist  Diverall Steering Ratio Steering Wheel Turns, Lock-to-Lock Furning Circle, Curb-to-Curb (feet)  Furning Circle, Wall-to-wall (feet)	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power  16.  2.9	ames  ged aluminum control arms ol arms and aluminum hubs id-pinion  er Assist Steering (EPAS) 4:1 99
Front Suspension Rear Suspension Steering Type  Power Assist Overall Steering Ratio Steering Wheel Turns, Lock-to-Lock Furning Circle, Curb-to-Curb (feet) Furning Circle, Wall-to-wall (feet) Coefficient of Drag (cd)	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power  16 2.9 34 37 0.30	ames ged aluminum control arms ol arms and aluminum hubs id-pinion er Assist Steering (EPAS) 4:1 99 1.8 7.4 0.29 (R3: 0.30)
Front Suspension Rear Suspension Steering Type  Power Assist  Diverall Steering Ratio Steering Wheel Turns, Lock-to-Lock Furning Circle, Curb-to-Curb (feet) Furning Circle, Wall-to-wall (feet)  Coefficient of Drag (cd)	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power  16.  2.9  34  37  0.30  12.7-in. vented discs with	ames  Jed aluminum control arms  Jol arms and aluminum hubs  Jol arms and aluminum hub
Front Suspension Rear Suspension Steering Type  Power Assist  Diverall Steering Ratio Steering Wheel Turns, Lock-to-Lock Furning Circle, Curb-to-Curb (feet) Furning Circle, Wall-to-wall (feet)  Coefficient of Drag (cd)  Front Brakes  Rear Brakes	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power  16.  2.9  34  37  0.30  12.7-in. vented discs with sin	ames  Jed aluminum control arms  Jol arms and aluminum hubs  Jol-pinion  Per Assist Steering (EPAS)  4:1  99  1.8  7.4  0.29 (R3: 0.30)  The single-piston calipers  Jole gle-piston aluminum calipers
Pront Suspension Rear Suspension Steering Type  Power Assist Overall Steering Ratio Steering Wheel Turns, Lock-to-Lock Furning Circle, Curb-to-Curb (feet) Furning Circle, Wall-to-wall (feet) Coefficient of Drag (cd)  Front Brakes Rear Brakes ABS	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power  16.  2.9  34  37  0.30  12.7-in. vented discs with sin  4-wheel, 4-channel with Electron	ames  Jed aluminum control arms  Jol arms and aluminum hubs  Jol-pinion  Per Assist Steering (EPAS)  4:1  99  J.8  7.4   0.29 (R3: 0.30)  th single-piston calipers  Joleples Joleples Joleples  Joleples J
Front Suspension Rear Suspension Steering Type  Power Assist Overall Steering Ratio Steering Wheel Turns, Lock-to-Lock Furning Circle, Curb-to-Curb (feet) Furning Circle, Wall-to-wall (feet) Coefficient of Drag (cd)  Front Brakes Rear Brakes RES	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power  16.  2.9  34  37  0.30  12.7-in. vented discs with sin	ames  Jed aluminum control arms  Jol arms and aluminum hubs  Jol arms and aluminum (EPAS)  Jol arms and aluminum hubs  Jol a
Front Suspension Rear Suspension Steering Type  Power Assist Overall Steering Ratio Steering Wheel Turns, Lock-to-Lock Furning Circle, Curb-to-Curb (feet) Furning Circle, Wall-to-wall (feet) Coefficient of Drag (cd)  Front Brakes Rear Brakes Rear Brakes Rear Brakes Rear Brakes Rear Brakes	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power  16.  2.9  34  37  0.30  12.7-in. vented discs with sin  4-wheel, 4-channel with Electron	ames  Jed aluminum control arms  Jol arms and aluminum hubs  Jol arms and aluminum (EPAS)  Jol arms and aluminum (EPAS)  Jol arms and aluminum hubs  Jol arms and aluminum
Front Suspension Rear Suspension Steering Type  Power Assist Overall Steering Ratio Steering Wheel Turns, Lock-to-Lock Furning Circle, Curb-to-Curb (feet) Furning Circle, Wall-to-wall (feet) Fooefficient of Drag (cd)  Front Brakes Rear Brakes	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power  16.  2.9  34  37  0.30  12.7-in. vented discs with sin  4-wheel, 4-channel with Electron  Mechanical	ames  Jed aluminum control arms  Jol arms and aluminum hubs  Jol arms and aluminum (EPAS)  Jol arms and aluminum (EPAS)  Jol arms and aluminum (EPAS)  Jol arms and aluminum hubs  Jol arms and alumin
ront Suspension Rear Suspensio	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power  16.  2.9  34  37  0.30  12.7-in. vented discs with sin  4-wheel, 4-channel with Electron  Mechanical	ames  Jed aluminum control arms ol arms and aluminum hubs ol-pinion  er Assist Steering (EPAS) 4:1 99 1.8 7.4 0.29 (R3: 0.30)  th single-piston calipers gle-piston aluminum calipers lic Brakeforce Distribution (EBD) (lever-type) 3: 225/40R19 high-performance summer) : 19 x 8-in. forged aluminum)
Front Suspension Rear Suspension Steering Type  Power Assist Overall Steering Ratio Steering Wheel Turns, Lock-to-Lock Furning Circle, Curb-to-Curb (feet) Furning Circle, Wall-to-wall (feet) Fooefficient of Drag (cd)  Front Brakes Rear Brakes	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power  16.  2.9  34  37  0.30  12.7-in. vented discs with sin  11.9-in. vented discs with sin  4-wheel, 4-channel with Electron Mechanical  225/45R18 high-performance summer (R3  18 x 8-in. cast aluminum (R3	ames  Jed aluminum control arms  Jol arms and aluminum hubs  Jol arms  J
Front Suspension Rear Suspension Steering Type  Power Assist Overall Steering Ratio Steering Wheel Turns, Lock-to-Lock Furning Circle, Curb-to-Curb (feet) Furning Circle, Wall-to-wall (feet) Fooefficient of Drag (cd)  Front Brakes Rear Brakes	Subfra Double wishbone with forg Multi-link with tubular contro Rack-an  Direct-Drive Electric Power 16. 2.9 34 37 0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical  225/45R18 high-performance summer (R3 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B	ames  Jed aluminum control arms  Jol arms and aluminum hubs  Jol arms  Jol
ront Suspension Rear Suspensio	Subfra Double wishbone with forg Multi-link with tubular contro Rack-an  Direct-Drive Electric Power 16. 2.9 34 37 0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical  225/45R18 high-performance summer (R3 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B	ames  Jed aluminum control arms ol arms and aluminum hubs ol-pinion  er Assist Steering (EPAS) 4:1 99 1.8 7.4 0.29 (R3: 0.30)  th single-piston calipers gle-piston aluminum calipers lic Brakeforce Distribution (EBD) (lever-type) 3: 225/40R19 high-performance summer) 19 x 8-in. forged aluminum) ridgestone only on R3) 7/32 psi
ront Suspension Rear Suspensio	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power  16. 2.9 34 37 0.30  12.7-in. vented discs with sin  11.9-in. vented discs with sin  4-wheel, 4-channel with Electron  Mechanical  225/45R18 high-performance summer (R3 18 x 8-in. cast aluminum (R3  Bridgestone/Dunlop (B) 32 psi /	ames  Jed aluminum control arms  Jed aluminum control arms  Jed aluminum control arms  Jed aluminum hubs  Jed-pinion  Per Assist Steering (EPAS)  4:1  99  Jed  Jed  Jed  Jed  Jed  Jed  Jed
ront Suspension Rear Suspensio	Subfra Double wishbone with forg Multi-link with tubular contro Rack-an  Direct-Drive Electric Power 16. 2.9 34 37 0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical  225/45R18 high-performance summer (R3 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B) 32 psi /	ames  Jed aluminum control arms  Jol arms and aluminum hubs  Jol arms and aluminum  Jol arms and aluminum hubs  Jo
Front Suspension Rear Rear Suspension Rear Brakes Rear Brakes Rear Brakes Rear Brakes Rear Brake	Subfra Double wishbone with forg Multi-link with tubular contro Rack-an  Direct-Drive Electric Power 16. 2.9 34 37 0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical  225/45R18 high-performance summer (R3 Bridgestone/Dunlop (B1 32 psi /	ames  Jed aluminum control arms  Jol arms and aluminum hubs  Jol arms  Jol
Front Suspension Rear Suspensi	Subfra Double wishbone with forg Multi-link with tubular contro Rack-an  Direct-Drive Electric Power  16. 2.9 34 37 0.30  12.7-in. vented discs with sin 11.9-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical  225/45R18 high-performance summer (R3 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B 32 psi /	ames  Jed aluminum control arms  Jol arms and aluminum hubs  Jol-pinion  Per Assist Steering (EPAS)  4:1  99  J.8  7.4
Front Suspension Rear Brakes Rear Suspension Rear Susp	Subfra Double wishbone with forg Multi-link with tubular contro Rack-an  Direct-Drive Electric Power  16. 2.9 34 37 0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical  225/45R18 high-performance summer (R3 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B) 32 psi /	ames  Jed aluminum control arms  Jed aluminum control arms  Jed aluminum control arms  Jed aluminum hubs  Jed-pinion  Jer Assist Steering (EPAS)  Jed Ali 199  Je
ront Suspension Rear Suspensio	Subfra Double wishbone with forg Multi-link with tubular contro Rack-an  Direct-Drive Electric Power  16. 2.9 34 37 0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical  225/45R18 high-performance summer (R3 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B) 32 psi /	ames Jed aluminum control arms Jol arms and aluminum hubs Jol arms and aluminum terms Jol arms Jol arms and aluminum terms Jol arms Jol ar
Front Suspension Rear Suspensi	Subfra Double wishbone with forg Multi-link with tubular contro Rack-an  Direct-Drive Electric Power  16. 2.9 34 37 0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical  225/45R18 high-performance summer (R3 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B) 32 psi /	ames Jed aluminum control arms Jol arms and aluminum hubs Jol arms and aluminum terms Jol arms and aluminum terms Jol arms Jol ar
Front Suspension Rear Suspension Steering Type  Power Assist Diverall Steering Ratio Steering Wheel Turns, Lock-to-Lock Furning Circle, Curb-to-Curb (feet) Furning Circle, Wall-to-wall (feet) Coefficient of Drag (cd)  Front Brakes Rear Brakes ABS Parking Brake  Fires Wheels Fire Brand Fire Inflation Pressure (front/rear)  Wheelbase (inches) Frack, front (inches) Frack, rear (inches) Frack, rear (inches) Frack, rear (inches) Height (inches) Height (inches) Height (inches) Hinimum Ground Clearance, laden (inches)	subfra Double wishbone with forg Multi-link with tubular contro Rack-an  Direct-Drive Electric Power  16. 2.9 34 37 0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical  225/45R18 high-performance summer (R3 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B) 32 psi /  106 59.1 (R3 59.3 (R3 175 69 52 4.	ames Jed aluminum control arms Jol arms and aluminum hubs Jol arms and aluminum hubs Jol-pinion  Per Assist Steering (EPAS)  4:1  99  1.8  7.4
Front Suspension Rear Suspensi	subfra Double wishbone with forg Multi-link with tubular contro Rack-an  Direct-Drive Electric Power  16. 2.9 34 37 0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical  225/45R18 high-performance summer (R3 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B) 32 psi /  106 59.1 (R3 59.3 (R3 175 69 52 4.	ames Jed aluminum control arms ol arms and aluminum hubs Id-pinion  er Assist Steering (EPAS) 4:1 99 1.8 7.4 0.29 (R3: 0.30)  th single-piston calipers Igle-piston aluminum calipers Iic Brakeforce Distribution (EBD) (lever-type) 3: 225/40R19 high-performance summer) 1: 19 x 8-in. forged aluminum) 1: 19 x 8-in. forged aluminum
ront Suspension Rear Suspensio	subfra Double wishbone with forg Multi-link with tubular contro Rack-an  Direct-Drive Electric Power  16. 2.9 34 37 0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical  225/45R18 high-performance summer (R: 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B) 32 psi /  106 59.1 (R: 59.3 (R: 175 69 52 4.	ames ged aluminum control arms ol arms and aluminum hubs d-pinion  er Assist Steering (EPAS) 4:1 99 1.8 7.4 0.29 (R3: 0.30)  th single-piston calipers gle-piston aluminum calipers lic Brakeforce Distribution (EBD) (lever-type) 3: 225/40R19 high-performance summer) 19 x 8-in. forged aluminum) ridgestone only on R3) 7 32 psi 6.3 3: 59.3) 3:59.4) 5.6 0.7 2.8 7
ront Suspension teering Type  ower Assist Overall Steering Ratio teering Wheel Turns, Lock-to-Lock turning Circle, Curb-to-Curb (feet) turning Circle, Wall-to-wall (feet) toefficient of Drag (cd)  ront Brakes tear Brakes BS tarking Brake  ires Wheels ire Brand ire Inflation Pressure (front/rear)  Wheelbase (inches) track, front (inches) track, rear (inches) tength (inches) w/o license plate holder Width (inches) teight (inches) teight (inches) teating Capacity teadroom without Moonroof, front/rear (inches) teadroom with Moonroof, front/rear (inches)	subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power  16. 2.9 34 37 0.30  12.7-in. vented discs with sin  4-wheel, 4-channel with Electron  Mechanical  225/45R18 high-performance summer (R:  18 x 8-in. cast aluminum (R3  Bridgestone/Dunlop (B)  32 psi /  106  59.1 (R:  59.3 (R  175  69  4.  38.2 /  4.  38.2 /  38.7 /	ames ged aluminum control arms ol arms and aluminum hubs d-pinion  er Assist Steering (EPAS) 4:1 99 1.8 7.4 0.29 (R3: 0.30)  th single-piston calipers gle-piston aluminum calipers ic Brakeforce Distribution (EBD) (lever-type) 3: 225/40R19 high-performance summer) : 19 x 8-in. forged aluminum) ridgestone only on R3) 7.32 psi 6.3 3: 59.3) 3:59.4) 5.6 0.7 2.8 7.7 4 7.36.8 7.36.8 7.36.8
ront Suspension Rear Suspension Rear Suspension Reteering Type  Rower Assist Roverall Steering Ratio Retering Wheel Turns, Lock-to-Lock Rovering Circle, Curb-to-Curb (feet) Rovering Circle, Wall-to-wall (feet) Roverficient of Drag (cd)  Rover Brakes Rear Brakes Rear Brakes Rear Brakes Rear Brakes Rear Brand Rire Inflation Pressure (front/rear)  Rovelbase (inches) Rrack, front (inches) Rrack, rear (inches) Rength (inches) Relight (inches) Religh	subfra Double wishbone with forg Multi-link with tubular contro Rack-an  Direct-Drive Electric Power  16. 2.9 34 37 0.30  12.7-in. vented discs with sin 11.9-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical  225/45R18 high-performance summer (R: 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B: 32 psi /  106 59.1 (R: 59.3 (R: 179 69 4. 38.2 / 4. 38.2 / 36.7 / 54.8 /	ames ged aluminum control arms ol arms and aluminum hubs d-pinion  er Assist Steering (EPAS) 4:1 99 1.8 7.4 0.29 (R3: 0.30)  th single-piston calipers gle-piston aluminum calipers ic Brakeforce Distribution (EBD) (lever-type) 3: 225/40R19 high-performance summer) 19 x 8-in. forged aluminum) ridgestone only on R3) 7/ 32 psi 6.3 3: 59.3) 3:59.4) 5.6 0.7 2.8 7.7 4 7/ 36.8 7/ 36.8 7/ 36.8
ront Suspension dear Assist dear Index Surrell Steering Ratio dear Brakes dear Brakes dear Brakes dear Brakes dear Brakes dear Brake dires dear Brand dire Inflation Pressure (front/rear) dear Brand dire Inflation Pressure (front/rear) dear Brake (inches) dear Brand (inches) dea	Subfrate Double wishbone with forg Multi-link with tubular control Rack-an Direct-Drive Electric Power 16.  Direct-Drive Electric Power 16.  2.9  34  37  0.30  12.7-in. vented discs with sin 11.9-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical 225/45R18 high-performance summer (R3 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B 32 psi / 106 59.1 (R3 59.3 (R3 175 69 52 4.5 175 69 52 4.5 175 69 52 69 52 69 52 69 52 69 69 52 69 69 52 69 69 52 69 69 52 69 69 52 69 69 69 52 69 69 69 69 69 69 69 69 69 69 69 69 69	ames ged aluminum control arms ol arms and aluminum hubs d-pinion  er Assist Steering (EPAS) 4:1 99 1.8 7.4 0.29 (R3: 0.30)  th single-piston calipers gle-piston aluminum calipers sic Brakeforce Distribution (EBD) (lever-type) 3: 225/40R19 high-performance summer) 19 x 8-in. forged aluminum) 19 x 8-in. forged aluminum) 19 x 8-in. forged aluminum) 10 x 32 psi 10 x 32 psi 11 x 32 psi 12 x 33 x 33 x 33 x 34 x 35 x 35 x 35 x 35
ront Suspension lear Suspensio	Subfrate Double wishbone with forg Multi-link with tubular control Rack-an Direct-Drive Electric Power 16.  2.9  34  37  0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical Mechanical 225/45R18 high-performance summer (R3 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B 32 psi / 59.3 (R	ames Jed aluminum control arms Jol arms and aluminum hubs Jol arms and aluminum least Jol and Jol
ront Suspension lear Suspensio	Subfrate Double wishbone with forg Multi-link with tubular control Rack-and Direct-Drive Electric Power 16.  2.9  34  37  0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical 225/45R18 high-performance summer (R3 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B 32 psi / 106 59.1 (R3 59.3 (R4 59.3	ames  jed aluminum control arms ol arms and aluminum hubs id-pinion  er Assist Steering (EPAS) 4:1 99 1.8 7.4 0.29 (R3: 0.30)  th single-piston calipers gle-piston aluminum calipers iic Brakeforce Distribution (EBD) (lever-type)  3: 225/40R19 high-performance summer) 19 x 8-in. forged aluminum) ridgestone only on R3) 7.32 psi 6.3 3: 59.3) 3: 59.4) 5.6 0.7 1.8 7.7 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9
ront Suspension lear Suspensio	Subfra Double wishbone with forg Multi-link with tubular contro Rack-an  Direct-Drive Electric Power  16. 2.9 34 37 0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical  225/45R18 high-performance summer (R: 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B) 32 psi /  106 59.1 (R: 59.3 (R: 179 69 52 4. 38.2 / 38.2 / 36.7 / 54.8 / 42.7 / 53.3 / 88	ames  jed aluminum control arms ol arms and aluminum hubs id-pinion  er Assist Steering (EPAS) 4:1 99 1.8 7.4 0.29 (R3: 0.30)  th single-piston calipers gle-piston aluminum calipers sic Brakeforce Distribution (EBD) (lever-type)  3: 225/40R19 high-performance summer) 19 x 8-in. forged aluminum) ridgestone only on R3) 7 32 psi 6.3 3: 59.3) 3:59.4) 5.6 0.7 1.8 7 7 4 7 36.8 7 36.5 7 54.9 7 32.2 7 48.1 9 6.6
ront Suspension Rear Suspensio	Subfrate Double wishbone with forg Multi-link with tubular control Rack-and Direct-Drive Electric Power 16.  2.9  34  37  0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical 225/45R18 high-performance summer (R3 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B 32 psi / 106 59.1 (R3 59.3 (R4 59.3	ames  jed aluminum control arms ol arms and aluminum hubs id-pinion  er Assist Steering (EPAS) 4:1 99 1.8 7.4 0.29 (R3: 0.30)  th single-piston calipers gle-piston aluminum calipers sic Brakeforce Distribution (EBD) (lever-type)  3: 225/40R19 high-performance summer) 19 x 8-in. forged aluminum) ridgestone only on R3) 7 32 psi 6.3 3: 59.3) 3:59.4) 5.6 0.7 1.8 7 7 4 7 36.8 7 36.5 7 54.9 7 32.2 7 48.1 9 6.6
Rear Suspension Rear Brakes Rear Brakes Rear Brakes Rear Brakes Rear Brake Rear Brake Rear Brake Rear Brake Rear Brake Rear Suspension Rear Rear Rear Rear Rear Rear Rear Rear	Subfra Double wishbone with forg Multi-link with tubular contro Rack-an  Direct-Drive Electric Power  16. 2.9 34 37 0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical  225/45R18 high-performance summer (R: 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B) 32 psi /  106 59.1 (R: 59.3 (R: 179 69 52 4. 38.2 / 38.2 / 36.7 / 54.8 / 42.7 / 53.3 / 88	ames  jed aluminum control arms ol arms and aluminum hubs id-pinion  er Assist Steering (EPAS)  4:1  99  1.8  7.4  0.29 (R3: 0.30)  th single-piston calipers gle-piston aluminum calipers sic Brakeforce Distribution (EBD) (lever-type)  3: 225/40R19 high-performance summer) : 19 x 8-in. forged aluminum) ridgestone only on R3)  7: 32 psi  6.3  3: 59.3)  3:59.4)  5.6  0.7  2.8  7  4  7:36.8  7:36.8  7:36.5  7:48.1  9  6.6
ront Suspension Rear Suspensio	Subfra Double wishbone with forg Multi-link with tubular contro Rack-an  Direct-Drive Electric Power  16. 2.9 34 37 0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical  225/45R18 high-performance summer (R: 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B) 32 psi /  106 59.1 (R: 59.3 (R: 179 69 52 4. 38.2 / 38.2 / 36.7 / 54.8 / 42.7 / 53.3 / 88	ames ged aluminum control arms ol arms and aluminum hubs d-pinion  er Assist Steering (EPAS) 4:1 99 1.8 7.4 0.29 (R3: 0.30)  th single-piston calipers gle-piston aluminum calipers sic Brakeforce Distribution (EBD) (lever-type)  3: 225/40R19 high-performance summer) 19 x 8-in. forged aluminum) ridgestone only on R3) 7/32 psi 6.3 3: 59.3) 3:59.4) 5.6 0.7 2.8 7.7 4 7/36.8 7
Front Suspension Rear Suspension Steering Type  Power Assist  Diverall Steering Ratio Steering Wheel Turns, Lock-to-Lock Furning Circle, Curb-to-Curb (feet)  Furning Circle, Wall-to-wall (feet)  Coefficient of Drag (cd)  Front Brakes Rear Brakes Rear Brakes  Parking Brake  Fires  Wheels  Fire Inflation Pressure (front/rear)  Wheelbase (inches)  Frack, front (inches)  Frack, rear (inches)  Length (inches) w/o license plate holder  Width (inches)  Height (inches)  Headroom without Moonroof, front/rear (inches)  Headroom with Moonroof, front/rear (inches)  Leng Room, front/rear (inches)  Leng Room, front/rear (inches)  Passenger Volume, EPA (cubic feet)  EPA Vehicle Size Category  Weight Distribution, % front/rear	Subfrate Double wishbone with forg Multi-link with tubular control Rack-and Direct-Drive Electric Power 16.  2.9  34  37  0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical 225/45R18 high-performance summer (R3 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B 32 psi / 10 59.1 (R3 59.3 (R4 59.3	ames ged aluminum control arms ol arms and aluminum hubs d-pinion  er Assist Steering (EPAS) 4:1 99 1.8 7.4 0.29 (R3: 0.30)  th single-piston calipers gle-piston aluminum calipers sic Brakeforce Distribution (EBD) (lever-type)  3: 225/40R19 high-performance summer) 19 x 8-in. forged aluminum) ridgestone only on R3) 7/32 psi 6.3 3: 59.3) 3:59.4) 5.6 0.7 2.8 7.7 4 7/36.8 7
ront Suspension Rear Suspensio	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power  16. 2.9 34 37 0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron  Mechanical  225/45R18 high-performance summer (R: 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B) 32 psi /  106 59.1 (R: 59.3 (R: 59.	ames ged aluminum control arms ol arms and aluminum hubs d-pinion  er Assist Steering (EPAS) 4:1 99 1.8 7.4 0.29 (R3: 0.30)  th single-piston calipers gle-piston aluminum calipers sic Brakeforce Distribution (EBD) (lever-type) 3: 225/40R19 high-performance summer) 19 x 8-in. forged aluminum) ridgestone only on R3) 7.32 psi 6.3 3: 59.3) 3:59.4) 5.6 0.7 2.8 7.7 4 7.36.8 7.36.8 7.36.8 7.36.5 7.48.1 9 6.6 6 6 6 6 6 7 7 7 8 8 7 8 8 7 8 8 8 7 8 8 8 8
ront Suspension Rear Suspensio	Subfrate Double wishbone with forg Multi-link with tubular control Rack-an Direct-Drive Electric Power 16.  2.9  34  37  0.30  12.7-in. vented discs with sint 11.9-in. vented discs with sint 4-wheel, 4-channel with Electron Mechanical 225/45R18 high-performance summer (R3 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B 32 psi / 106 59.1 (R3 59.3 (R4 179 69 52) 4.  38.2 / 38.2 / 38.2 / 38.3 / 38.	ames ged aluminum control arms ol arms and aluminum hubs d-pinion  er Assist Steering (EPAS) 4:1 99 1.8 7.4 0.29 (R3: 0.30)  th single-piston calipers gle-piston aluminum calipers ic Brakeforce Distribution (EBD) (lever-type)  3: 225/40R19 high-performance summer) 19 x 8-in. forged aluminum) ridgestone only on R3) 7/32 psi 6.3 3: 59.3) 3:59.4) 5.6 0.7 2.8 7 4 7/36.8 7/36.5 7/48.1 9 6.6 Impact
Front Suspension Rear Suspension Steering Type  Power Assist Overall Steering Ratio Steering Wheel Turns, Lock-to-Lock Furning Circle, Curb-to-Curb (feet) Furning Circle, Wall-to-wall (feet) Coefficient of Drag (cd)	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power  16. 2.9 34 37 0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron  Mechanical  225/45R18 high-performance summer (R: 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B) 32 psi /  106 59.1 (R: 59.3 (R: 59.	ames ged aluminum control arms ol arms and aluminum hubs d-pinion  er Assist Steering (EPAS) 4:1 99 1.8 7.4 0.29 (R3: 0.30)  th single-piston calipers gle-piston aluminum calipers sic Brakeforce Distribution (EBD) (lever-type) 3: 225/40R19 high-performance summer) 19 x 8-in. forged aluminum) ridgestone only on R3) 7.32 psi 6.3 3: 59.3) 3:59.4) 5.6 0.7 2.8 7.7 4 7.36.8 7.36.8 7.36.8 7.36.5 7.48.1 9 6.6 6 6 6 6 6 7 7 7 8 8 7 8 8 7 8 8 8 7 8 8 8 8
Rear Suspension Rear Brakes Rear Brakes Rear Brakes Rear Brakes Rear Brakes Rear Brake Rear Br	Subfra Double wishbone with forg Multi-link with tubular contro Rack-an  Direct-Drive Electric Power  16. 2.9 34 37 0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron Mechanical  225/45R18 high-performance summer (R: 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B) 32 psi/  106 59.1 (R: 59.3 (R) 179 69 52 4. 42.7/ 53.3/ 88 7. Subco	ames ged aluminum control arms ol arms and aluminum hubs d-pinion  er Assist Steering (EPAS) 4:1 99 1.8 7.4 0.29 (R3: 0.30)  th single-piston calipers gle-piston aluminum calipers lic Brakeforce Distribution (EBD) (lever-type) 3: 225/40R19 high-performance summer) 19 x 8-in. forged aluminum) ridgestone only on R3) 732 psi 6.3 3: 59.3) 3: 59.3) 3: 59.4) 5.6 0.7 1.8 7 4 7 36.8 7 4 7 36.8 7 7 4 7 4 7 36.8 7 7 4 7 8 8 7 7 8 8 7 7 8 9 6 6 mpact 7 7 8 8 3,065 3,818
Rear Suspension Rear Brakes Rear Brakes Rear Brakes Rear Brakes Rear Brakes Rear Brake Re	Subfra  Double wishbone with forg  Multi-link with tubular contro  Rack-an  Direct-Drive Electric Power  16. 2.9 34 37 0.30  12.7-in. vented discs with sin 4-wheel, 4-channel with Electron  Mechanical  225/45R18 high-performance summer (R: 18 x 8-in. cast aluminum (R3 Bridgestone/Dunlop (B) 32 psi /  106 59.1 (R: 59.3 (R: 59.	ames ged aluminum control arms ol arms and aluminum hubs d-pinion  er Assist Steering (EPAS) 4:1 99 1.8 7.4 0.29 (R3: 0.30)  th single-piston calipers gle-piston aluminum calipers sic Brakeforce Distribution (EBD) (lever-type) 3: 225/40R19 high-performance summer) 19 x 8-in. forged aluminum) ridgestone only on R3) 7.32 psi 6.3 3: 59.3) 3:59.4) 5.6 0.7 2.8 7.7 4 7.36.8 7.36.8 7.36.8 7.36.5 7.48.1 9 6.6 6 6 6 6 6 7 7 7 8 8 7 8 8 7 8 8 8 7 8 8 8 8