

2010 MAZDA RX-8 SPECIFICATION DECK

ISSUE DATE: June 2, 2009 REVISION DATE: June 1, 2009

PRODUCTION TIMING:

Job #1: TBD

LINEUP:

- Sport
- Grand Touring
- RX-8 R3

CONTENTS:	Page(s)
Product Changes	2
Product Summary	3
Equipment & Features	4
Packages & Options	5
Accessories	6
Color & Trim	7
Specifications	8

2010 MAZDA RX-8 PRODUCT CHANGES

OVERVIEW

For 2010MY, the Touring Model and Premium Packages have been eliminated from the line-up and the number of available exterior colors has been reduced to four.

MODEL / SERIES / AVAILABILITY

- Touring Model Eliminated
- Deleted Grand Touring Model with Normal Roof

EXTERIOR CHANGES

None

FUNCTIONAL CHANGES

- 6EAT GVW Change from 3858 lbs to 3862 lbs
- 6EAT Coolant capacity change from 9.2 qts to 10.4 qts
- 6MT Coolant capacity change from 9.4 qts to 10.6 qts

PACKAGE / OPTION CHANGES

- Delete Premium Package #1(1PR)
- Delete Premium Package #1(2PR)
 - Premium Pkg # 2 content now std on Grand Touring

INTERIOR CHANGES

Std Equipment now included on Grand Touring Model

- Moonroof
- Sirius Satellite Radio w/6-mth subscription

COLOR & TRIM

- Exterior Colors Added:
 - Liquid Silver Metallic (38P)
- Exterior Colors Deleted:
 - Brilliant Black Clearcoat (A3F)
 - Crystal White Pearl (34K)
 - Diamond Gray Metallic (38E)
 - Sunlight Silver Metallic (22V)
- Interior Colors Added:
 - None
- Interior Colors Deleted:
 - Red Leather (FG6)
 - Dune Leather (FG5)

SAFETY

No change

Product Changes and Features Availability

Features, options and package content subject to change.

2010 MAZDA RX-8 PRODUCT SUMMARY

The following equipment is standard as indicated. Each series includes the standard equipment of the previous series, except where additions /

RX-8 Sport	RX-8 Grand Touring	RX-8 R3
Standard Equipment	In addition to Sport	In addition to Sport
nctional / Powertrain	Functional / Powertrain	Functional / Powertrain
1.3L Rotary engine with 212 hp (AT) or 232 hp	Torque sensing Limited Slip Differential (AT)	Torque sensing Limited Slip Differential
(MT) 6-speed sport automatic transmission w/paddle		Sport tuned suspension with Bilstein shock
shifters and Adaptive Shift Logic (AT)		absorbers
6-Speed manual overdrive transmission with		Urethane foam injected front suspension cros
short throw shifter (MT)		member
Direct drive electronically assisted steering		
Front and rear stabilizer bars		
Independent front double-wishbone suspension / rear multi-link suspension		
Low exhaust pressure main muffler (MT)		
Power assist 4-wheel ventilated disc brakes		
Shock tower brace		
Sport tuned suspension		
Torque sensing Limited Slip Differential (MT)		
terior	Exterior	Exterior
18-inch aluminum alloy wheels with locks	Fog lights	• Fog lights
225/45R18 high performance tires	Xenon headlights	Xenon headlights
Dual chrome tailpipe garnish	Auto on/off headlights Heated mirrors	19-inch forged aluminum alloy wheels 225/40R19 high performance tires
Dual power mirrors Free style doors	Heated mirrors Rain sensing wipers	225/40R19 high performance tiresRear wing spoiler
•	Moonroof, power sliding glass with one-touch	
Rear LED taillights	open and sunshade	Side sills
Rear lip spoiler (MT models only)		Sporty front bumper
Rear window defogger		
Rear window integrated radio antenna		
Variable intermittent windshield wipers		
arior.	Interior	Interior
erior Air conditioning	Auto dimming rear view mirror with Homelink	Auto dimming rear view mirror with Homelink
AM/FM/CD stereo with 6-speakers	In-dash 6 disc CD changer	In-dash 6 disc CD changer
, and the colored man o operators	300 watt Bose 9-speaker sound system with	300 watt Bose 9-speaker sound system with
Auxiliary-audio input jack	Centerpoint surround sound and AudioPilot®	Centerpoint surround sound and AudioPilot®
	noise compensation technology 8-way power driver's seat with power lumbar	noise compensation technology Bluetooth hands free phone system
Center console with power outlet	support	
Instrument panel display with clock, audio, HVAC, outside temp	Auto A/C	Front Recaro sport seats with leather side
Cloth trimmed upholstery and door panels	Bluetooth hands free phone system	 bolsters Leather wrapped parking brake
Cruise control	Color keyed synthetic leather trimmed door	Mazda Advanced Keyless Entry and Start
	panels	System
Cup holders - 4	Driver's seat memory (3 positions) Driver's seat one-touch walk-in function	
Floor mats Gauges - black w/chrome bezels & white	Driver's seat one-touch walk-in function	
lettering; blue LED with red nighttime gauge	Heated driver/passenger seats	
illumination		
Internal releases - fuel door, trunk, hood	Leather trimmed seating surfaces Leather wrapped parking brake	
Passenger seat one-touch walk-in function Rear bucket seats with rear seat trunk pass	Leather wrapped parking brake Mazda Advanced Keyless Entry and Start	
through	System	
Reclining front bucket seats	 SIRIUS Satellite Radio System (includes 6 month free subscription) 	
Scuff plates - black w/aluminum accents	nee aubaciiptiott)	
Steering wheel mounted controls - audio, cruise		
Steering wheel - tilt, leather wrapped		
Shift knob - leather wrapped		
Overhead console with sunglasses holder Power door locks - driver / passenger		
w/illuminated switches		
Power windows - driver / passenger w/illuminated		
switches Power windows - one-touch open/close with		
remote down functionality		
Vanity mirrors - driver & passenger, illuminated		
fety	Safety	Safety
Air bags: front/side/curtain for driver & front		
passenger	Dynamic Stability Control w/Traction Control	Dynamic Stability Control w/Traction Control
Alarm with immobilizer		
Anti-lock brake system w/EBD		
Burgler Alarm		
Front seatbelts - 3-point with pretensioners &		
force limiters		

Features, options and package content subject to change.

2010 MAZDA RX-8 EQUIPMENT AND FEATURES

POWERTRAIN Exhaust, low pressure main muffler Exhaust, single with dual outlets Light weight carbon fiber driveshaft Rear wheel drive Transmission, 6-speed automatic with paddle shifters and Adaptive Shift Logic Transmission, 6-speed manual overdrive (short throw shifter) Sid Variable dynamic effect intake system SUSPENSION Brakes, power-assisted 4-wheel ventilated disc brakes Std	GRAND TOURING RX-8 R3 RX8 GT RX8 HP MT MT Std Std MT MT Std Std Available NA	
POWERTRAIN Exhaust, low pressure main muffler Exhaust, single with dual outlets Light weight carbon fiber driveshaft Rear wheel drive Transmission, 6-speed automatic with paddle shifters and Adaptive Shift Logic Transmission, 6-speed manual overdrive (short throw shifter) Yariable dynamic effect intake system MT SUSPENSION	MT MT Std Std MT MT Std Std Std Available NA	
Exhaust, low pressure main muffler Exhaust, single with dual outlets Std Light weight carbon fiber driveshaft Rear wheel drive Std Transmission, 6-speed automatic with paddle shifters and Adaptive Shift Logic Transmission, 6-speed manual overdrive (short throw shifter) Std Variable dynamic effect intake system MT SUSPENSION	Std Std MT MT Std Std Available NA	
Exhaust, single with dual outlets Light weight carbon fiber driveshaft MT Rear wheel drive Std Transmission, 6-speed automatic with paddle shifters and Adaptive Shift Logic Available Transmission, 6-speed manual overdrive (short throw shifter) Std Variable dynamic effect intake system MT SUSPENSION	Std Std MT MT Std Std Available NA	
Light weight carbon fiber driveshaft MT Rear wheel drive Std Transmission, 6-speed automatic with paddle shifters and Adaptive Shift Logic Available Transmission, 6-speed manual overdrive (short throw shifter) Std Variable dynamic effect intake system SUSPENSION	MT MT Std Std Available NA	
Rear wheel drive Std Transmission, 6-speed automatic with paddle shifters and Adaptive Shift Logic Available Transmission, 6-speed manual overdrive (short throw shifter) Std Variable dynamic effect intake system SUSPENSION	Std Std Available NA	
Transmission, 6-speed automatic with paddle shifters and Adaptive Shift Logic Available Transmission, 6-speed manual overdrive (short throw shifter) Std Variable dynamic effect intake system MT SUSPENSION	Available NA	
Transmission, 6-speed manual overdrive (short throw shifter) Std Variable dynamic effect intake system SUSPENSION		
SUSPENSION	Std Std	
	MT MT	
Brakes, power-assisted 4-wheel ventilated disc brakes Std		
	Std Std	
Brakes, 12.7" front Std	Std Std	
Brakes, anti-lock with electronic brakeforce distribution (ABS)	Std Std	
Dynamic Stability Control (DSC) with traction control	Std Std	
Front - independent double wishbone Std	Std Std	
Rear - independent multi-link suspension Std Shock absorbers, Bilstein NA	Std Std Std NA Std	
Shock absorbers, monotube gas filled front and rear Std	Std Std	
Sport tuned suspension Std	Std Std	
Stabilizer bar, front and rear Std	Std Std	
Steering, direct drive electronically assisted Std	Std Std	
Torque sensing limited-slip differential Std on MT		
Urethane foam injected front suspension cross member NA	NA Std	
Wheel locks Std	Std Std	
Wheels / Tires, 18" aluminum alloy with 225/45 R18 tires Std	Std NA	
Wheels / Tires, 19" forged aluminum alloy with 225/40 R19 tires NA	NA Std	
EXTERIOR FEATURES	04	
Fog lights, front NA Headlights, Xenon auto leveling NA	Std Std Std Std	
Headlights, auto on/off NA NA	Std Std NA	
Headlights, halogen Std	NA NA NA	
Mazda advanced keyless entry and start system NA	Std Std	
Mirrors, dual power remote / body colored Std	NA NA	
Mirrors, heated dual power remote / body colored NA	Std NA	
Moonroof, power sliding glass with one-touch open and sunshade NA	Std NA	
Rear LED taillights Std	Std Std	
Rear lip spoiler Std on MT		
Rear wing spoiler NA	NA Std	
Remote keyless illuminated entry	Std Std	
Side sills NA	NA Std	
Windshield, heat absorbent glass / tinted with sunshade Std Wipers, rain sensing NA	Std Std NA	
Wipers, variable intermittent Std	Std Std Std	
INTERIOR FEATURES	Sid Sid	
Air bags, driver and passenger front, side, head curtain Std	Std Std	
Air conditioning, automatic NA	Std NA	
Air conditioning, CFC-Free Std	Std Std	
Alarm system (burgler) and engine immobilizer Std	Std Std	
Bluetooth hands free phone system NA	Std Std	
Cigarette lighter with ash tray Std	Std Std	
Cruise control with steering wheel mounted controls Std	Std Std	
Cup holders, 2 front / 2 rear Std Defogger, rear window with auto shutoff Std	Std Std Std	
Demisters, front side windows Std	Std Std	
Door locks, power with front passenger switch illumination Std	Std Std	
DVD Navigation system with in-dash 7" LCD touch screen NA	Opt. NA	
Floor Mats, carpeted front/rear Std	Std Std	
Foot pedals, aluminum including foot rest Std on MT, NA	on AT Std on MT, NA on AT Std	
Glove box, illuminated & locking Std	Std Std	
Heater/Defroster, with rear duct Std	Std Std	
Ignition key illumination Std	Std Std	
Lighting, door / overhead dimming, dual map lights Std	Std Std	
Mirror, rear view autodimming with HomeLink® NA Mirror, rear view day/night Std	Std Std Std NA NA	
Mirror, rear view day/night Std Mirror, vanity / driver & passenger / illuminated Std	Std Std	
Parking brake, leather wrapped with bright button NA	Std Std	
Parking brake, urethane handle with bright button Std	NA NA	
Power outlet Std	Std Std	
Power windows, illuminated switches with one-touch-up/down with remote functionality Std	Std Std	
Rear storage console with lid Std	Std Std	
Remote releases, trunk lid / fuel door / hood Std	Std Std	
Scuff plates, black with aluminum accents Std	Std Std	
Seat upholstery, cloth with cloth door trim Std	NA NA	
Seat upholstery, leather with synthetic leather door trim NA Seats bushed type with integrated band contraints	Std Std	
Seats, bucket type with integrated head restraints Std Seats, heated (front) NA	Std Std NA	
Seats, 8-way power driver's seat w/3 position memory switch NA	Std NA	
Seats, passenger side one-touch walk-in function Std	Std Std	
Seats, driver's side one-touch walk-in function NA	Std NA	
Seats, front Recaro sport seats	NA Std	
Shift knob, aluminum and leather wrapped Std on MT, NA		
Shift knob, leather wrapped w/silver accent Std on AT, NA o		
Steering Wheel, leather wrapped with tilt Std	Std Std	
Storage console, overhead with sunglasses holder Std	Std Std	
Tire pressure monitoring system Std	Std Std	
Trip odometer, two resettable Std Warning lamps: air bags, battery, brake, engine, fuel, high-beam, oil, seat belt, tire pressure Std	Std Std Std	
Warning lamps: air bags, battery, brake, engine, fuel, high-beam, oil, seat belt, tire pressure Std AUDIO FEATURES	Sta Std	
AM/FM stereo w/single CD player and six speakers Std	NA NA	
Antenna, mounted in rear glass Std	Std Std	
Auxiliary audio jack Std	Std Std	
Bose® 9-speaker 300 watt sound system w/Centerpoint surround sound & AudioPilot NA	Std Std	
In-dash 6-CD changer PIO	Std Std	
SIRIUS Satellite Radio System (includes 6 month free subscription) (NA in Alaska/Hawaii) PIO	Std PIO	

2010 MAZDA RX-8			
PACKAGES AND OPTIONS			
	Sport RX8 SP	Grand Touring RX8 GT	RX-8 R3 RX8 HP
Navigation System 7-inch LCD touch screen	-	Opt.	-

2010 MAZDA RX-8 ACCESSORIES

	ACCESSORIES			
		Sport	Grand Touring	RX-8 R3
		RX8 SP	RX8 GT	RX8 HP
AUDIO /	VISUAL ELECTRONICS			
SSA	Shock Sensor Alarm	PIO	N/A	N/A
CDC	In-Dash 6-Disc CD/MP3 Changer	PIO	N/A	N/A
SAT	SIRIUS Satellite Radio w/6 Month	PIO (N/A in Alaska/Hawaii)	PIO (N/A in Alaska/Hawaii)	PIO (N/A in Alaska/Hawaii)
EXTERI	OR			
DEG	Door Edge Guards	PIO	PIO	PIO
MND	Moonroof Wind Deflector	NA	PIO	N/A
RSW	Rear Wing Spoiler	PIO (N/A on MT models)	PIO (N/A on MT models)	N/A
MGB	Splash Guards, Front/Rear	PIO	PIO	N/A
INTERIO	OR .			
FLA	All Weather Floor Mats	PIO	PIO	PIO
CGN	Cargo Net	PIO	PIO	PIO
CGO	Cargo Organizer	PIO	PIO	PIO
CGT	Cargo Tray	PIO	PIO	PIO
CGC	Collapsible Cargo Carrier	PIO	PIO	PIO
STR	Spare Tire Kit	PIO	PIO	PIO

2010 MAZDA RX-8 COLOR AND TRIM

INTERIOR TRIM TYPE		INTERIOR TRIM COLORS	RX-8 R3
INTERIOR IN	IIVI I I FE	Black	Gray/Black
Sport	Cloth	FG3	
GT	Leather	FG4	
Recaro	Cloth/Leather		FG7
CODE	EXTERIOR COLOR	AVAILABILITY	
38P	Liquid Silver Metallic	•	
35N	Sparkling Black Mica	•	
27A	Velocity Red Mica	•	•
34J	Aurora Blue Mica		•

BOLD = New for 2010MY

2010 MAZDA RX-8 SPECIFICATIONS

	SPECIFICATIONS	
	6-SPEED SPORT AUTOMATIC	6-SPEED MANUAL
Engine Type		tor rotary
Engine Code	RENESIS 6 side intake ports with 3-stage variable induction system (VIS)	
Induction System		fresh air duct
Horsepower, SAE net	212 hp @ 7500 rpm	232 hp @ 8500 rpm
Torque, SAE net	159 lb-ft @ 5500 rpm	159 lb-ft @ 5500 rpm
Redline	7500 rpm	9000 rpm
Displacement (cu in. / cc)		1,308
Eccentricity (e) x Radius (R) x Width (b) (in. / mm)	4.13 x 0.59 x 3.15 / 105 x 15 x 80	
Compression Ratio		.0:1
Rotor Housing Side Housing		hrome steel liner
Side Housing	Casi	. 11011
EPA Estimated Mileage, City/Highway (mpg)	16/23	16/22
3 37 1 37		
Fuel Injection	Multi-port electro	onic fuel injection
Required Fuel		unleaded
Minimum Octane Requirement (R+M/2)		ctane
Emission Control (CAL* / Federal) *CAL = CA, MA, ME, NY, VT, PA, CT, RI, WA, OR, NJ	ULEVZ-B/	Tier2 Bin5-B I
CAL = CA, MA, ME, NY, VI, PA, CI, RI, WA, OR, NJ		
Ignition System	Electronically-controlled w/ 4 coils and ir	I idium-tipped muti-electrode spark plugs
Alternator		110A
Battery		/26L
Starter	12V-2.0kw	
Туре	Front-midship engine, rear-wheel drive	
Transmissions	6-speed sport AT with steering-wheel mounted manual shift paddles	6-speed manual
Gear Ratios (:1)	mounted manual stillt paddles	о-ърееи тапиат
1st	3.538	3.815
2nd	2.060	2.260
3rd	1.404	1.536
4th	1.000	1.177
5th	0.713	1.000
6th	0.582	0.787
Reverse Final Drive	3.168 4.300	3.603 4.777
Limited-Slip Differential	4.300	Torque sensing conical clutch type
Limited-Slip Differential	-	Torque sensing conical clutch type
	Monocogue unibody with backbone frame	construction and front and rear suspension
Body Type		ames
Front Suspension		ged aluminum control arms
Rear Suspension		ol arms and aluminum hubs
Steering Type	Rack-ar	nd-pinion
Dawer Assist	Direct Drive Flectric Dov	er Assist Steering (EPAS)
Power Assist Overall Steering Ratio		4:1
Steering Wheel Turns, Lock-to-Lock		99
Turning Circle, Curb-to-Curb (feet)		1.8
Turning Circle, Wall-to-wall (feet)		7.4
Coefficient of Drag (cd)	0.30	0.29 (R3: 0.30)
Front Brakes		th single-piston calipers
Rear Brakes ABS	4-wheel, 4-channel with Electron	gle-piston aluminum calipers
Parking Brake	Mechanical	` /
	Woonanida	V AL-1
Tires	225/45R18 high-performance summer (R	3: 225/40R19 high-performance summer)
Wheels		: 19 x 8-in. forged aluminum)
Tire Brand	Bridgestone/Dunlop (Bridgestone only on R3)	
Tire Inflation Pressure (front/rear)		
Whoolbase (inches)	32 psi	/ 32 psi
Wheelbase (inches) Track, front (inches)		
Track, rear (inches)	10	6.3
	10 59.1 (R	6.3 3: 59.3)
Length (inches) w/o license plate holder	10 59.1 (R 59.3 (F	6.3
Length (inches) w/o license plate holder Width (inches)	10 59.1 (R 59.3 (F	6.3 3: 59.3) 3: 59.4)
Width (inches) Height (inches)	10 59.1 (R 59.3 (F 177 68	6.3 6.3 59.3) 33:59.4) 5.6
Width (inches)	10 59.1 (R 59.3 (F 177 66	6.3 3: 59.3) 3:59.4) 5:6
Width (inches) Height (inches) Minimum Ground Clearance, laden (inches)	10 59.1 (R 59.3 (F 17 66 552 4	6.3 3: 59.3) 3: 59.4) 5.6 3.7 2.8
Width (inches) Height (inches) Minimum Ground Clearance, laden (inches) Seating Capacity	10 59.1 (R 59.3 (F 17 68 52 4	6.3 3: 59.3) 3:59.4) 5:6 0.7 2.8
Width (inches) Height (inches) Minimum Ground Clearance, laden (inches) Seating Capacity Headroom without Moonroof, front/rear (inches)	10 59.1 (R 59.3 (F 17 68 52 4	6.3 3: 59.3) 3:59.4) 3:56 5.7 2.8 .7
Width (inches) Height (inches) Minimum Ground Clearance, laden (inches) Seating Capacity Headroom without Moonroof, front/rear (inches) Headroom with Moonroof, front/rear (inches)	10 59.1 (R 59.3 (F 177 66 52 4	6.3 3: 59.3) 13:59.4) 5.6 9.7 2.8 7.7 4 4 / 36.8 / 36.5
Width (inches) Height (inches) Minimum Ground Clearance, laden (inches) Seating Capacity Headroom without Moonroof, front/rear (inches)	10 59.1 (R 59.3 (F 17 66 55/4 4 38.2 38.2 36.7 54.8	6.3 3: 59.3) 3:59.4) 3:56 5.7 2.8 .7
Width (inches) Height (inches) Minimum Ground Clearance, laden (inches) Seating Capacity Headroom without Moonroof, front/rear (inches) Headroom with Moonroof, front/rear (inches) Shoulder Room, front/rear (inches) Leg Room, front/rear (inches) Hip Room, front/rear (inches)	10 59.1 (R 59.3 (R 17 69 55.2 4 38.2 36.7 54.8 42.7 53.3	6.3 3: 59.3) 3:59.4) 5:5.6 5.7 2.8 .7 4 4/36.8 36.8 /36.5 /32.2 /48.1
Width (inches) Height (inches) Minimum Ground Clearance, laden (inches) Seating Capacity Headroom without Moonroof, front/rear (inches) Headroom with Moonroof, front/rear (inches) Shoulder Room, front/rear (inches) Leg Room, front/rear (inches) Hip Room, front/rear (inches) Passenger Volume, EPA (cubic feet)	10 59.1 (R 59.3 (R 59.3 (F 66 52 4 4 38.2 38.2 36.7 54.8 42.7 53.3 8	6.3 6.3 5.59.4) 5.6 9.7 2.8 7 4 4 4 4 5 6.8 6 7 6 6 7 7 4 4 4 5 6 7 7 7 4 4 4 5 6 7 7 7 7 7 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9
Width (inches) Height (inches) Minimum Ground Clearance, laden (inches) Seating Capacity Headroom without Moonroof, front/rear (inches) Headroom with Moonroof, front/rear (inches) Shoulder Room, front/rear (inches) Leg Room, front/rear (inches) Hip Room, front/rear (inches) Passenger Volume, EPA (cubic feet) Cargo Volume, SAE (cubic feet)	10 59.1 (R 59.3 (F 66 66 55/4 4 38.2 38.2 38.7 54.8 42.7 53.3 8	6.3 3: 59.3) 3: 59.3) 3: 59.4) 5.6 9.7 2.8 .7 4 4 7 36.8 7 36.5 7 54.9 7 32.2 7 48.1
Width (inches) Height (inches) Minimum Ground Clearance, laden (inches) Seating Capacity Headroom without Moonroof, front/rear (inches) Headroom with Moonroof, front/rear (inches) Shoulder Room, front/rear (inches) Leg Room, front/rear (inches) Hip Room, front/rear (inches) Passenger Volume, EPA (cubic feet)	10 59.1 (R 59.3 (F 66 66 55/4 4 38.2 38.2 38.7 54.8 42.7 53.3 8	6.3 3.59.3) 3.59.4) 5.6 9.7 2.8 7 4 4 4 4 5 6.8 6 7 6 6 7 7 4 4 4 5 6 7 7 7 4 4 4 5 6 7 7 7 7 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9
Width (inches) Height (inches) Minimum Ground Clearance, laden (inches) Seating Capacity Headroom without Moonroof, front/rear (inches) Headroom with Moonroof, front/rear (inches) Shoulder Room, front/rear (inches) Leg Room, front/rear (inches) Hip Room, front/rear (inches) Passenger Volume, EPA (cubic feet) Cargo Volume, SAE (cubic feet) EPA Vehicle Size Category	10 59.1 (R 59.3 (F 10 68 55 4 4 38.2 36.7 54.8 42.7 53.3 8 7	6.3 3: 59.3) 3:59.4) 5:5.6 0.7 2.8 8 .7 4 4/36.8 /36.8 /36.5 /54.9 /52.2 /48.1
Width (inches) Height (inches) Minimum Ground Clearance, laden (inches) Seating Capacity Headroom without Moonroof, front/rear (inches) Headroom with Moonroof, front/rear (inches) Shoulder Room, front/rear (inches) Leg Room, front/rear (inches) Hip Room, front/rear (inches) Passenger Volume, EPA (cubic feet) Cargo Volume, SAE (cubic feet) EPA Vehicle Size Category Weight Distribution, % front/rear	10 59.1 (R 59.3 (R 59.3 (R 66 52 4 4 38.2 36.7 54.8 42.7 53.8 7 Subcc	6.3 6.3 5.59.3) 5.59.4) 5.6 9.7 2.8 7 4 4 5.6 6 7 5.6 9 7 4 9 6 9 6 9 9 6 9 9 9 9 9 9 9 9 9 9 9 9
Width (inches) Height (inches) Minimum Ground Clearance, laden (inches) Seating Capacity Headroom without Moonroof, front/rear (inches) Headroom with Moonroof, front/rear (inches) Shoulder Room, front/rear (inches) Leg Room, front/rear (inches) Hip Room, front/rear (inches) Passenger Volume, EPA (cubic feet) Cargo Volume, SAE (cubic feet) EPA Vehicle Size Category Weight Distribution, % front/rear Curb Weight, Federal Spec (lbs.)	10 59.1 (R 59.3 (R 59.3 (R 66 52 4 4 38.2 36.7 54.8 42.7 53.3 53.3 53.3 53.3 53.3 53.3 53.3 53	6.3 6.3 6.3 6.3 6.3 6.5 6.5 6.7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Width (inches) Height (inches) Minimum Ground Clearance, laden (inches) Seating Capacity Headroom without Moonroof, front/rear (inches) Headroom with Moonroof, front/rear (inches) Shoulder Room, front/rear (inches) Leg Room, front/rear (inches) Hip Room, front/rear (inches) Passenger Volume, EPA (cubic feet) Cargo Volume, SAE (cubic feet) EPA Vehicle Size Category Weight Distribution, % front/rear	10 59.1 (R 59.3 (R 59.3 (R 66 52 4 4 38.2 36.7 54.8 42.7 53.8 7 Subcc	6.3 6.3 5.9.3) 5.59.4) 5.6 9.7 2.8 7 4 4 5.6 6 7 5.4 9 7 5.4 9 7 6 9 9 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
Width (inches) Height (inches) Minimum Ground Clearance, laden (inches) Minimum Ground Clearance, laden (inches) Seating Capacity Headroom without Moonroof, front/rear (inches) Headroom with Moonroof, front/rear (inches) Shoulder Room, front/rear (inches) Leg Room, front/rear (inches) Hip Room, front/rear (inches) Passenger Volume, EPA (cubic feet) Cargo Volume, SAE (cubic feet) EPA Vehicle Size Category Weight Distribution, % front/rear Curb Weight, Federal Spec (lbs.) GVWR (total weight with maximum passenger and	10 59.1 (R 59.3 (R 59.3 (R 66 52 4 4 38.2 36.7 54.8 42.7 53.3 53.3 53.3 53.3 53.3 53.3 53.3 53	6.3 6.3 6.3 6.3 6.3 6.5 6.5 6.7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Width (inches) Height (inches) Minimum Ground Clearance, laden (inches) Seating Capacity Headroom without Moonroof, front/rear (inches) Headroom with Moonroof, front/rear (inches) Shoulder Room, front/rear (inches) Leg Room, front/rear (inches) Hip Room, front/rear (inches) Passenger Volume, EPA (cubic feet) Cargo Volume, SAE (cubic feet) EPA Vehicle Size Category Weight Distribution, % front/rear Curb Weight, Federal Spec (lbs.) GVWR (total weight with maximum passenger and cargo load) (lbs.) Oil (U.S. quarts)	10 59.1 (R 59.3) (R 59.3) (R 66 67 4 38.2 38.2 36.7 54.8 42.7 53.3 8 7 Subcc	6.3 6.3 6.3 6.3 6.3 6.5 6.3 6.5 6.6 6.7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Width (inches) Height (inches) Minimum Ground Clearance, laden (inches) Minimum Ground Clearance, laden (inches) Seating Capacity Headroom without Moonroof, front/rear (inches) Headroom with Moonroof, front/rear (inches) Shoulder Room, front/rear (inches) Leg Room, front/rear (inches) Hip Room, front/rear (inches) Passenger Volume, EPA (cubic feet) Cargo Volume, SAE (cubic feet) EPA Vehicle Size Category Weight Distribution, % front/rear Curb Weight, Federal Spec (lbs.) GVWR (total weight with maximum passenger and cargo load) (lbs.)	10 59.1 (R 59.3 (F 68 55.4 4 38.2 36.7 54.8 42.7 53.3 8 7 Subco	6.3 3.59.3) 3.59.4) 5.6 9.7 2.8 2.7 4 4 36.8 7 36.5 7 54.9 7 32.2 7 48 9 6 mpact 48 3,065 3,818